

FIG. 2




FIG. 3




FIG.4




FIG.5




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 7A




FIG. 7B




FIG. 7C




FIG. 7D




FIG. 8A




FIG. 8B



FIG. 8C




FIG.9




FIG.10A




FIG.10D




FIG.10B




FIG.10E




FIG.10C




FIG.10F




FIG.11A




FIG.11B




FIG.11C




FIG.11D




FIG.12A




FIG.12B




FIG.12C




FIG.13A




FIG.13B




FIG.13C




FIG.13D




FIG.14




FIG.15A




FIG.15B




FIG.16




FIG.17




FIG. 18



:




FIG.20




FIG.21A




FIG.21B




FIG.22




FIG.23A




FIG.23B

	TEMPERATURE OF UPPER PLATE	TEMPERATURE OF LOWER PLATE	EXHAUST GAS PRESSURE	HEATING TIME
OPTIMUM CONTROL RANGES	70°C~200°C	90°C~150°C	5Pa~100Pa	60sec~300sec
NOVOLAK TYPE RESIN	70°C~200°C	135°C	10Pa~50Pa	180sec

FIG.24




FIG.25A




FIG.25B




FIG.25C




FIG.26A






FIG.26B



COMPARISON OF SENSITIVITY CURVES OF FPD AND CT

FIG.27



COMPARISON OF SENSITIVITY CURVES OF FPD AND CT

FIG.28




FIG.29




FIG.30




FIG.31




FIG.32





FIG.33





FIG.34




FIG.35




FIG.36

